



*Moving People,
Making India Proud*

A full-page background image shows a young man and woman smiling and walking up an escalator. The woman is wearing a brown leather jacket over a dark red sweater and a black cap, and is holding a white envelope. The man is wearing a blue denim jacket over a grey t-shirt and has a beard. They are both holding a large red suitcase. The escalator has a glass railing, and the background shows a modern building with glass panels.

**ELEVATOR & ESCALATOR
SOLUTIONS**

FROM FOUNDER'S DESK

SEPL India Ltd, formerly founded as Supreme Elevators Pvt. Ltd. in the year 1992 in the elevator industry. Our consistent growth has been possible only because of our organization's FIRM BELIEF in 'CUSTOMER SATISFACTION', 'SAFETY' and 'QUALITY'.

SEPL takes pride and are thankful to our customers for their continuous support. We also thank our employees for their dedication, sincerity and hard work.

SEPL is a technology driven, INDIAN Company that manufactures environment-friendly, low maintenance and energy-efficient elevators with reasonable price and durability up to 15 years.

We specialize in home elevators without headroom and minimum pit and we design standard elevators as well as customized elevators for new buildings and existing buildings also.

We are committed to continuous upgradation of advanced technology to ensure the highest quality and safety standards.

The journey continues and we assure you of our best services at all times..

JAI HIND !!!



With warm regards,
Mohan Yadav





With your needs in mind

SEPL INDIA LTD.

Your safety, our responsibility

The SEPL India Ltd. escalator is designed to meet the highest standards in the industry. We ensure that each passenger enjoys a safe ride.

Energy-efficient, eco-friendly

Integrated with our latest energy-saving technology: Premium drive efficiency, smart power management at times of low passenger density and selected low-power components, The SEPL India Ltd. is one of the most efficient escalators in retail applications.

Superb performance, Pan India service

The SEPL India Ltd. escalator is a product with superb quality and performance, thanks to its high-grade, low-wear-and-tear components. Wherever you are, SEPL Pan India services protect your long-term investment.

Elegant adaptable design options

The SEPL India Ltd. escalator offers you not only timeless basic equipment but also highly distinctive customized design options, which make it easily adaptable to smaller commercial areas and high-end shopping centers.

Company Profile

SEPL INDIA LTD

Moving People, Making India Proud

SEPL India Ltd, an established name in Indian Elevator Industry since February 1992, is into Manufacturing, Installation, Modernization and Maintenance of wide range of Customized Solutions like Passenger Elevators (with Carrying Capacity from 02 to 30 Passengers and speed up to 2.5 metres/sec), Modular Home Elevators (our Specialization), Car Elevators, Freight Elevators, Capsule Elevators, Hospital Elevators, Stair Lifts, Hotel Elevators , Bubble Lifts with 'D' Type Glass and Escalators with latest technology and smooth riding.

Our Safe, Reliable and Cost Efficient Products as well as unmatched 24 x 7 After Sales Service has helped us to achieve up to 99.98% Customer Satisfaction which is the main Motto of SEPL.

With our in-house manufacturing unit located in Bhiwadi Industrial Area, Rajasthan, which is well-equipped with latest machinery and technology, we have successfully installed over 50,000+ elevators in Residential, Institutional and Commercial Segments.



Safety and customer satisfaction is a fundamental value and priority of SEPL. It reflects in our products, services and in the way we work. We design and build our elevators as per Bureau of Indian Standard IS: 14665 - Part I as well as European Standards.

We are also providing safety training in schools, colleges and rural areas to make children and senior citizens aware of safe elevator usage.

SEPL complies with all State and Central laws impacting the way we conduct our business. Our systems and processes are reviewed and improved regularly to keep up with the changing times.

For further information, please visit us at www.seplindia.net.





COMPANY MOTTO

Safety, Reliability
& Customer Satisfaction

We are committed to
providing the best of

- Customized Products
- Innovative Technology
- Efficient 24x7 After Sales Service
- Value for Money
- Competitive Price
- 99.8% Customer Satisfaction

Company Sales And Service Network

(North India)

Delhi, Haryana, Punjab, Rajasthan, Uttar Pradesh,
Jammu & Kashmir, Himachal Pradesh, Uttarakhand

(East India)

Patna, Ranchi, Kolkata

(West India)

Goa, Gujarat, Maharashtra

(South India)

Bangluru, Hyderabad





*Moving People,
Making India Proud*



Home Elevators




We are offering state of the art home elevator with safety features and stylish interior for residence. Our Home Elevator are products of superior class. Every Home Lift System are manufactured individually according to specification of each space.



Raising the quality of Your Lifestyle

Home elevators empower everyone in the family to move around the home with greater safety, freedom and peace of mind. And all rooms can be used with maximum effectiveness.



- Machine - Gearless Machine
- Capacity - 300Kgs (upto 4 Persons)
- Speed - 0.30 mps
- Max. Stops - 4
- Max. Rise - 12 Mtr (Aprox) (Min. Rise 2.4M)
- Application - Bungalows, Private Villas, Penthouses, Existing Buildings
- Electricity - Work on Single Phase/ Three Phase
- Motor Capacity - 2.9 KW
- Drive System - Yes
- Motor - PMS Motor
- Control System - Micro Processor
- Min OH and Pit - 2900mm OH and 800mm Pit
- Car Size (mm) - 735W x950D x2050H
- Car Floor Space - 0.85 Sqm Approx
- Door Opening - 700W x 2000H
- Door Type - SS with Glass 2 Panel Center Opening
- Shaft Size - 1550W x 1500D
- Safety Feature - ARD (Automatic landing at Time of Power Failure) Emergency Alarm With self rechargeable battery Emergency Light
- Extra Feature - Landing Door and Car Door Interlocking Safety Electrically and Mechanically

Home Elevators for Private House

Luxury and convenience in your home





82

ELEVATOR



ELEVATOR



82

82nd floor

82

82

82

82

82

82

82

PASSENGER ELEVATORS

Passenger Elevators




You will find yourself moved easily and silently . The self-diagnosis system and application of the remote control system by data communications enable prompt analysis in case of any failure in the lift mechanism.



Capsule Elevators



Capsule Elevators act as Architectural highlights on prestigious buildings. They have aesthetically attractive interiors with large glass viewing panel. We provide all types of capsule lifts having ultramodern design to provide a cosmic zone experience to the passengers.





HOSPITAL ELEVATORS

Hospital Elevators



We design elevators for healthcare facilities such as hospitals and private care facilities. SEPL provides lift with aesthetically pleasing but practical finishes combined with a smooth ride, accurate floor leveling and reliability. Our bed lift also delivers a unique combination of flexibility, durability and ride quality- all of which adds up to a long, trouble-free and productive lift.






FREIGHT ELEVATORS

Freight Elevators




We design and manufacture quality elevators armed not only with automation and logistical rationalization but with economic efficiency and with time-tested experience and technology.



Lift Door Pattern



We can provide any door pattern as per the customer's choice.






FLOORING

Floors

The floors of the E design line have been designed for longevity and hygiene. Choose either homogeneous vinyl or a custom flooring (e.g. marble) for a more exclusive design.

Vinyl flooring

- 1 Concrete Light Grey
FV01
- 2 Concrete Dark Grey
FV02
- 3 Eminent Beige
FV12
- 4 Eminent Grey
FV13
- 5 Concrete Chalk
FV11
- 6 Esquisse Grey
FV14
- 7 Nature Black (standard)
FV10



Mechanical
Push Button

Touchless
Button
(Infrared Induction)



Optional Button Series



Make your elevator easy to operate for all passengers. Energy efficient operating panels all come in high quality materials and finishing. As an option, elegant full-glass fixtures provide the finishing touch to the car interior. High-resolution and easy-to-read indicators make the ride even more enjoyable.



Touchless Button

- Capacitive type touch-less remote sensing;
- Avoid finger contact with buttons, reduce the risk of infection;
- Suitable for hospitals, shopping malls, office buildings and other places with crowded people ;



Push Button





Touch Button




Touchless Button

Outline Dimension




Handrail Design



Handrail Design SEPL-110

Style	Flat profile satin stainless steel with returned ends
-------	---



Handrail Design SEPL-111

Style	Round profile satin stainless steel
-------	-------------------------------------



Handrail Design SEPL-112

Style	Round profile combination mirror and satin stainless steel
-------	--



Handrail Design SEPL-113

Style	Round profile satin stainless steel with custom standoffs
-------	---



Handrail Design SEPL-114

Style	Multi-tiered flat profile satin stainless steel with returned ends
-------	--



Handrail Design SEPL-115

Style	Round profile mirror stainless steel
-------	--------------------------------------



Handrail Design SEPL-116

Style	Combination satin and mirror stainless steel with LED downlights
-------	--



Handrail Design SEPL-117

Style	Round profile satin bronze
-------	----------------------------



Handrail Design SEPL-118

Style	Round profile satin bronze with custom standoffs
-------	--



Handrail Design SEPL-119

Style	Multi-tiered flat profile satin bronze with returned ends
-------	---



Handrail Design SEPL-120

Style	Round profile mirror bronze
-------	-----------------------------



Handrail Design SEPL-121





Style	Round profile solid wood
-------	--------------------------

New ceiling design/ Optional



Order on special demand from customer

Proper interior elevator cab lighting is strategic in completing the interior vision and experience. Choose from an array of energy efficient lighting choices. Work in concert with the Elevator Interior Design Team and use our expertise in code compliant design to achieve the intended concept in lightweight, functional and easy to install elevator cab solutions.



Panoramic & Horizon Series/ Optional



Order on special demand from customer



For further information, please visit us at www.seplindia.net

Elevator Cab Series SEPL 111-113/ Optional

Order on special demand from customer



Cab System SEPL-111

Walls	Etched glass above the handrail with woven wire below
Ceiling	Island type suspended ceiling. Available in various finishes
Handrail	1 ½" diameter round handrail. Available in various profiles and finishes
Lighting	LED 50K hour life downlights with dimmer. Alternate lighting available







Cab System SEPL-113

Walls	Wood veneer above the handrail with woven wire below and bronze columns
Ceiling	Island type suspended ceiling. Available in various finishes
Handrail	1 ½" diameter round handrail. Available in various profiles and finishes
Lighting	LED 50K hour life downlights with dimmer. Alternate lighting available


PANORAMIC SERIES/ OPTIONAL

Order on special demand from customer

			
SPRING Back and Side Walls Mirror Stainless Steel Beigewood Panel edges: Black Mirror Stainless Steel behind the raised panels Handrail 1.5" Round Satin Stainless Steel Ceiling Mirror Stainless Steel Recommended Signalization Solid Snow White or Stones Sand Yellow	SUMMER Back and Side Walls Mirror Stainless Steel Amber Cherry Panel edges: Black Mirror Stainless Steel behind the raised panels Handrail 1.5" Round Satin Stainless Steel Ceiling Mirror Stainless Steel Recommended Signalization Solid Plum Red or Stones Plum Red	AUTUMN Back and Side Walls Mirror Stainless Steel Figured Mahogany Panel edges: Black Mirror Stainless Steel behind the raised panels Handrail 1.5" Round Satin Stainless Steel Ceiling Mirror Stainless Steel Recommended Signalization Solid Ivory Black or Leaves Plum Red	WINTER Back and Side Walls Mirror Stainless Steel Asian Night Panel edges: Black Mirror Stainless Steel behind the raised panels Handrail 1.5" Round Satin Stainless Steel Ceiling Mirror Stainless Steel Recommended Signalization Solid Federal Blue or Leaves Ebony Black

HORIZON SERIES/ OPTIONAL

Order on special demand from customer

			
SPRING Back and Side Walls Mirror Stainless Steel Pearl Bisque LS Panel edges: Black Mirror Stainless Steel behind the raised panels Handrail 1.5" Round Satin Stainless Steel Ceiling Satin Stainless Steel Recommended Signalization Solid Snow White or Lights Snow White	SUMMER Back and Side Walls Mirror Stainless Steel Alumasteel Panel edges: Black Mirror Stainless Steel behind the raised panels Handrail 1.5" Round Satin Stainless Steel Ceiling Satin Stainless Steel Recommended Signalization Solid Plum Red or Glasses Agate	AUTUMN Back and Side Wall Mirror Stainless Steel Satin Brushed Medium Bronze Panel edges: Black Mirror Stainless Steel behind the raised panels Handrail 1.5" Round Satin Stainless Steel Ceiling Satin Stainless Steel Recommended Signalization Solid Ivory Black or Lights Ivory Black	WINTER Back and Side Walls Mirror Stainless Steel Pearl Silver LS Panel edges: Black Mirror Stainless Steel behind the raised panels Handrail 1.5" Round Satin Stainless Steel Ceiling Satin Stainless Steel Recommended Signalization Solid Federal Blue or Glasses Sapphire Blue

Stair Lifts



We introduce in India Indoor Stair lift Ergonomically designed seat for the straight indoor Stair lift also known as chairlift. The most technically advanced DC powered Stairlift has been precision designed Stair lift.

Complying with all current safety standards, the seat has a wealth of improved features, new arm interlocks prevent accidental use when alighting to and from the seat and the seat belt has been moved higher for increased comfort when locking and unlocking.



STAIR LIFT

CARRYING CAPACITY : 140 KGS


FEATURES

- Padded Seat and Backrest
- Controls are easy to access
- Safety Belts
- Folding footrest and armrest are available
- Swivel seat - no need for twisting the body to get on and off the lift
- Lockable switch for ON & OFF
- To provide the status of the lift diagnostic digital display is provided
- For emergency stopping of the lift, five sensors are provided on footrest







DIMENSIONS

A) Floor to top of footrest	:	85 mm 3 ½ inch
B) Top of footrest to top of seat	:	455 mm 18 inch
C) Top of seat to top of arms	:	250 mm 10 inch
D) Top of arms to top of seat back	:	250 mm 10 inch
E) Width between arm rests	:	445 mm 17 ½ inch
F) Overall width	:	620 mm 24 ½ inch
G) Length of arms from seat back	:	470 mm 18 ½ inch
H) Length of seat base from seat back	:	425 mm 16 ¾ inch
I) Length of footrest	:	325 mm 12 ¾ mm
J) Width of footrest	:	310 mm 12 ¼ inch
K) Front of footrest to stringer	:	546 mm 21 ½ inch
L) Back of seat to stringer	:	13 mm ½ inch
M) Folded width	:	280 mm 11 inch



Passenger Elevators



PASSENGER ELEVATORS

LOAD		CAR INSIDE		LIFT WELL		ENTRANCE	MACHINE ROOM		CENTER OPENING		TELESCOPIC/SIDE	
		A	B	C	D	E	K	L				
PERSONS	KG.	WIDE	DEPTH	WIDE	DEPTH	CENTER	WIDE	DEPTH	LEFT WALL	RIGHT WALL	LEFT WALL	LEFT WALL
5	340	1000	850	1500	1400	700	1800	2500	350	350	450	250
6	408	1100	1000	1600	1500	700	2500	3000	350	350	450	250
8	544	1300	1100	1900	1800	800	3000	3600	400	400	500	300
10	680	1350	1300	1900	2000	800	3000	3600	400	400	500	700
13	884	2000	1100	2500	1900	900	3000	4000	800	800	900	500
13*	884	1600	1400	2200	2100	900	3000	4000	650	650	800	600
16	1088	2000	1300	2500	2100	1000	3500	4500	750	750	900	600
20	1360	2000	1600	2500	2400	1000	4000	4500	750	750	900	700
26	1768	2300	1800	2700	3000	1000	5000	6200	850	850	1000	





MR		
Speed MPS	Pit Depth	Overhead
Upto 1.00	1500	4500
Upto 2.00	1600	4800
Over 2.00	2600	5600

MRL		
Speed MPS	Pit Depth	Overhead
Upto 1.00	1500	4700
Upto 2.00	1600	4900
Over 2.00	2600	5800

We design and build our elevators as per **Bureau of Indian Standard IS:14665-Part I** as well as **European Standards**.

Stone margin is to be considered by Customer/Architect

Hospital Elevators



HOSPITAL ELEVATORS





LOAD		CAR INSIDE		LIFT WELL		ENTRANCE	MACHINE ROOM		CENTER OPENING		TELESCOPIC/SIDE	
PERSONS	KG.	WIDE	DEPTH	WIDE	DEPTH	CENTER	WIDE	DEPTH	LEFT WALL	RIGHT WALL	LEFT WALL	LEFT WALL
Person	KG	Wide	Depth	Wide	Depth	Center	Wide	Depth				
15	1020	1100	2300	1800	3000	800	3700	4500	500	500	600	400
20	1360	1300	2400	2200	3000	1000	4200	5500	600	600	700	500
26	1768	1600	2400	2600	3000	1200	4350	5500	700	700	800	600

MR/MRL		
Speed MPS	Pit Depth	Overhead
Upto 1.00	1500	4700
Upto 2.00	1600	4800
Over2.00	2650	5600

We design and build our elevators as per **Bureau of Indian Standard IS:14665-Part I** as well as **European Standards**.

Stone margin is to be considered by Customer/Architect

Freight Elevators



FREIGHT ELEVATORS

LOAD	CAR INSIDE		LIFT WELL		ENTRANCE	MACHINE ROOM		CENTER OPENING		TELESCOPIC/SIDE	
KG.	WIDE	DEPTH	WIDE	DEPTH	CENTER	WIDE	DEPTH	LEFT WALL	RIGHT WALL	LEFT WALL	LEFT WALL
500	1100	1200	1900	1600	900	2500	4100	500	500	600	400
1000	1400	1800	2300	2200	1200	2500	4700	550	550	700	400
1500	1700	2000	2600	2400	1500	2600	4900	550	550	700	400
2000	2000	2500	2600	2900	1500	2600	5400	550	550	700	400
2500	2000	3000	2900	3400	1800	2900	5400	550	550	700	400
3000	2000	3000	3400	3400	2300	3400	5300	550	550	700	400
4000	2500	3000	3400	3400	2300	3400	5300	550	550	700	400
5000	2500	3600	3500	4300	2300	3500	6800	600	600	700	500

MR		
Speed MPS	Pit Depth	Overhead
Upto 1.00	1500	4300
Upto 2.00	1600	4800
Over 2.00	2600	5800

We design and build our elevators as per **Bureau of Indian Standard IS:14665-Part I** as well as **European Standards**.

Stone margin is to be considered by Customer/Architect



ESCALATORS

From system-related safety solutions ...

MICONIC F – intelligent

microprocessor controller: Two independent safety circuits control each safety device in real time. Double check means double safety. A unique safety feature from Sepl India Ltd..

Anti-reversal check:

Speed and direction are monitored on the ① motor shaft, ② step band and ③ handrail.

Electric anti-reversing device and phase monitoring: These unique features prevent inadvertent direction changes.



to the powerful components


Step – strongest and safest step on the market:

SEPL aluminum steps set the highest standard in the industry.

Guarantee safe rides even after years in operation.

Eccentric break load
above the roller bolt
SEPL: 13 kN
Market: 8 kN

Static test center
break load
SEPL: 25 kN
Market: 12 kN



SEPL yellow step demarcation (optional):

- Resistant against synthetic oil
- Fire-resistant, Class V0
- Mounted without screws

SEPL compact step:

- Single piece aluminum, superior safety without screw connections
- Anti-corrosion




Did you know that SEPL is the only company in the industry that produces escalator with our Associates Company in-house?

All steps have to pass the regulatory static breaking load test and eccentric breaking load above the roller pin before they leave the factory, which exceeds EN 115-1 requirements.

Escalators



P35 Series



	P30/600	P30/800	P30/1000
W1 (Step With W2 (Distance between the handrail centrelines	600	800	1000
W3 (Pit Width)	910	1110	1310
W4 (Escalator Width)	1200	1400	1600
W5 (Well Width)	1260	1460	1660
W6 (Well Width)	1910	2110	2310


Tyre	Rise Height (mm)		3000	3500	4000	4500	5000	5500	5600
P30/100	Net Weight	G(KN)	62	66	69	73	77	80	85
	Reaction of Support	RQ(KN)	58	62	65	69	72	76	81
		R2(KN)	50	53	57	61	64	68	73
P30/800	Power	P(KW)	5.5	8			11		
	Net Weight	G(KN)	59	62	65	69	72	75	79
	Reaction of Support	R1(KN)	52	55	58	61	64	67	70
		R2(KN)	43	47	50	53	56	59	62
	Power	P(KW)	5.5		8				
P30/600	Net Wight	G(KN)	56	59	62	65	68	71	75
	Reaction of Support	R1(KN)	45	48	51	53	56	59	61
		R2(KN)	38	40	43	46	48	51	53
	Power	P(KW)	5.5			8			

Note:-


1. Dimensions in millimeters. Enlarged Drawing A.
 2. When VF system is adopted, the size marked * should Different
- Please contact Supreme Elevators Private Limited for more detailed Information

For further information, please visit us at www.seplindia.net

Our Accomplished Ventures



OUR PATRON



SEPL INDIA LIMITED

Regd./Corp. Office :

Plot No. 58, SEPL Complex, Sector-20
Dwarka, New Delhi-110075
M : + 91-9811808756, 9643326223
Ph+91 11 41809001, 41061677, 4 1004677

Manufacturing Plant :

G1-129-132 RIICO Industrial Area,
Chopanki, Bhiwadi, Distt. Alwar, Rajasthan
M : 9643308501, 9643326221

E-mail : info@seplworld.net

Website : www.seplindia.net

www.seplworld.net

Customer Care No. : +91 8010677677

Branch office :

Allahbad :

7th Floor, Tulsaini Grace Building, Strachey Road 25,
Near Ram Mandir, Civil Lines Prayagraj,
Uttar Pardesh 211001
M: 9643308503

PATNA :

Ratna Shree 41 Kidwaipuri 601 & 602 sixth Floor
Income Tax Golamber, Patna Bihar-800001
M: 9667395632

Hydrabad :

Flat No-1215 Bameerpet, 11th Floor, Vasavi MPM Grand,
Metro junction Ameerpet, Hyderabad Telangana-500073

Sales & Service Network

