



ELEVATOR & ESCALATOR SOLUTIONS



Moving People, Making India Proud

Excellence is not our Goal, It is our STANDARD.”



FROM FOUNDER'S DESK



SEPL India Ltd, formerly founded as Supreme Elevators Pvt. Ltd. in the year 1992 has successfully completed above 28 years in the elevator industry. Our consistent growth has been possible only because of our organization's **FIRM BELIEF** in '**CUSTOMER SATISFACTION**', '**SAFETY**' and '**QUALITY**'.

SEPL takes pride and are thankful to our customers for their continuous support. We also thank our employees for their dedication, sincerity and hard work.

SEPL is a technology driven, **INDIAN** Company that manufactures environment-friendly, low maintenance and energy-efficient elevators with reasonable price and durability up to 15 years.

We specialize in home elevators without headroom and minimum pit and we design standard elevators as well as customized elevators for new buildings and existing buildings also.

We are committed to continuous upgradation of advanced technology to ensure the highest quality and safety standards.

The journey continues and we assure you of our best services at all times..

JAI HIND !!!



With warm regards,

Mohan Yadav

COMPANY PROFILE



SEPL India Ltd

Moving People, Making India Proud

SEPL India Ltd, an established name in Indian Elevator Industry since the last 28 years, is into Manufacturing, Installation, Modernization and Maintenance of wide range of Customized Solutions like Passenger Elevators (with Carrying Capacity from 02 to 30 Passengers and speed up to 2.0 metres/sec), Modular Home Elevators (our Specialization), Car Elevators, Freight Elevators, Capsule Elevators, Hospital Elevators, Stair Lifts, Hotel Elevators, Bubble Lifts with 'D' Type Glass and Escalators with latest technology and smooth riding.

Our Safe, Reliable and Cost Efficient Products as well as unmatched 24 x 7 After Sales Service has helped us to achieve up to 99.98% Customer Satisfaction which is the main Motto of **SEPL**.

With our in-house manufacturing unit located in Bhiwadi Industrial Area, Rajasthan, which is well-equipped with latest machinery and technology, we have successfully installed over 10,000 elevators in Residential, Institutional and Commercial Segments.

Safety and customer satisfaction is a fundamental value and priority of **SEPL**. It reflects in our products, services and in the way we work. We design and build our elevators as per **Bureau of Indian Standard IS: 14665 - Part I** as well as European Standards.

We are also providing safety training in schools, colleges and rural areas to make children and senior citizens aware of safe elevator usage.

SEPL complies with all State and Central laws impacting the way we conduct our business. Our systems and processes are reviewed and improved regularly to keep up with the changing times.

For further information, please visit us at www.seplindia.net.



COMPANY MOTTO



Safety, Reliability & Customer Satisfaction

We are committed to providing the best of

- Customized Products
- Innovative Technology
- Efficient 24x7 After Sales Service
- Value for Money
- Competitive Price
- 99.8% Customer Satisfaction

Company Sales And Service Network

(North India) : Delhi, Haryana, Punjab, Rajasthan, Uttar Pradesh, Jammu & Kashmir
Himachal Pradesh, Uttarakhand

(East India) : Patna, Ranchi, Kolkata

(West India) : Goa, Gujarat, Maharashtra

(South India) : Bangluru, Hyderabad



Home Elevators




We are offering state of the art home elevator with safety features and stylish interior for residence. Our Home Elevator are products of superior class. Every Home Lift System are manufactured individually according to specification of each space.



Raising the quality of Your Lifestyle

Home elevators empower everyone in the family to move around the home with greater safety, freedom and peace of mind. And all rooms can be used with maximum effectiveness.



For further information, please visit us at www.seplindia.net

- Machine - Gearless Machine
- Capacity - 300Kgs (upto 4 Persons)
- Speed - 0.30 mps
- Max. Stops - 4
- Max. Rise - 12 Mtr (Aprox) (Min. Rise 2.4M)
- Application - Bungalows, Private Villas, Penthouses, Existing Buildings
- Electricity - Work on Single Phase/ Three Phase
- Motor Capacity - 2.9 KW
- Drive System - Yes
- Motor - PMS Motor
- Control System - Micro Processor
- Min OH and Pit - 2900mm OH and 800mm Pit
- Car Size (mm) - 735W x950D x2050H
- Car Floor Space - 0.85 Sqm Approx
- Door Opening - 700W x 2000H
- Door Type - SS with Glass 2 Panel Center Opening
- Shaft Size - 1550W x 1500D
- Safety Feature - ARD (Automatic landing at Time of Power Failure) Emergency Alarm With self rechargeable battery Emergency Light
- Extra Feature - Landing Door and Car Door Interlocking Safety Electrically and Mechanically

Home Elevators for Private House

Luxury and convenience in your home



Passenger Elevators



You will find yourself moved easily and silently . The self-diagnosis system and application of the remote control system by data communications enable prompt analysis in case of any failure in the lift mechanism.





PASSENGER ELEVATORS

Capsule Elevators





Capsule Elevators act as Architectural highlights on prestigious buildings. They have aesthetically attractive interiors with large glass viewing panel. We provide all types of capsule lifts having ultramodern design to provide a cosmic zone experience to the passengers.



Lift Door Pattern



We can provide any door pattern as per the customer's choice.



Hospital Elevators



We design elevators for healthcare facilities such as hospitals and private care facilities. SEPL provides lift with aesthetically pleasing but practical finishes combined with a smooth ride, accurate floor leveling and reliability. Our bed lift also delivers a unique combination of flexibility, durability and ride quality- all of which adds up to a long, trouble-free and productive lift.






HOSPITAL ELEVATORS

Freight Elevators



We design and manufacture quality elevators armed not only with automation and logistical rationalization but with economic efficiency and with time-tested experience and technology.





FREIGHT ELEVATORS

Stair Lifts



We introduce in India Indoor Stair lift Ergonomically designed seat for the straight indoor Stair lift also known as chairlift. The most technically advanced DC powered Stairlift has been precision designed Stair lift.

Complying with all current safety standards, the seat has a wealth of improved features, new arm interlocks prevent accidental use when alighting to and from the seat and the seat belt has been moved higher for increased comfort when locking and unlocking.



STAIR LIFT

CARRYING CAPACITY : 140 KGS


FEATURES

- Padded Seat and Backrest
- Controls are easy to access
- Safety Belts
- Folding footrest and armrest are available
- Swivel seat - no need for twisting the body to get on and off the lift
- Lockable switch for ON & OFF
- To provide the status of the lift diagnostic digital display is provided
- For emergency stopping of the lift, five sensors are provided on footrest



DIMENSIONS


A) Floor to top of footrest	:	85 mm 3 ½ inch
B) Top of footrest to top of seat	:	455 mm 18 inch
C) Top of seat to top of arms	:	250 mm 10 inch
D) Top of arms to top of seat back	:	250 mm 10 inch
E) Width between arm rests	:	445 mm 17 ½ inch
F) Overall width	:	620 mm 24 ½ inch
G) Length of arms from seat back	:	470 mm 18 ½ inch
H) Length of seat base from seat back	:	425 mm 16 ¾ inch
I) Length of footrest	:	325 mm 12 ¾ mm
J) Width of footrest	:	310 mm 12 ¼ inch
K) Front of footrest to stringer	:	546 mm 21 ½ inch
L) Back of seat to stringer	:	13 mm ½ inch
M) Folded width	:	280 mm 11 inch



Escalators



P35 Series



	P30/600	P30/800	P30/1000
W1 (Step With W2 (Distance between the handrail centrelines	600	800	1000
W3 (Pit Width)	1340	1540	1740
W4 (Escalator Width)	1200	1400	1600
W5 (Well Width)	1260	1460	1660
W6 (Well Width)	1910	2110	2310

Tyre	Rise Height (mm)		3000	3500	4000	4500	5000	5500	5600
	P30/100	Net Weight	G(KN)	62	66	69	73	77	80
Reaction of Support		RQ(KN)	58	62	65	69	72	76	81
		R2(KN)	50	53	57	61	64	68	73
P30/800	Power	P(KW)	5.5			8			11
	Net Weight	G(KN)	59	62	65	69	72	75	79
	Reaction of Support	R1(KN)	52	55	58	61	64	67	70
		R2(KN)	43	47	50	53	56	59	62
P30/600	Power	P(KW)	5.5			8			
	Net Wight	G(KN)	56	59	62	65	68	71	75
	Reaction of Support	R1(KN)	45	48	51	53	56	59	61
		R2(KN)	38	40	43	46	48	51	53
	Power	P(KW)	5.5			8			

Note:-
 1. Dimensions in millimeters. Enlarged Drawing A.
 2. When VF system is adopted, the size marked * should Different
 Please contact Supreme Elevators Private Limited for
 more detailed Information


Flooring



We can provide any flooring as per the customer's choice.




SEPL-4400



SEPL-4401



SEPL-4402



SEPL-4403



SEPL-4404



SEPL-4405



SEPL-4406



SEPL-4407





FLOORING

Handrail Design



Handrail Design SEPL-110

Style | Flat profile satin stainless steel with returned ends



Handrail Design SEPL-111

Style | Round profile satin stainless steel



Handrail Design SEPL-112

Style | Round profile combination mirror and satin stainless steel




Handrail Design SEPL-113

Style | Round profile satin stainless steel with custom standoffs




Handrail Design SEPL-114

Style | Multi-tiered flat profile satin stainless steel with returned ends



Handrail Design SEPL-115

Style | Round profile mirror stainless steel



Handrail Design SEPL-116

Style | Combination satin and mirror stainless steel with LED downlights



Handrail Design SEPL-117

Style | Round profile satin bronze



Handrail Design SEPL-118

Style | Round profile satin bronze with custom standoffs



Handrail Design SEPL-119

Style | Multi-tiered flat profile satin bronze with returned ends



Handrail Design SEPL-120

Style | Round profile mirror bronze



Handrail Design SEPL-121


Style | Round profile solid wood

Optional Button Series



Make your elevator easy to operate for all passengers. Energy efficient operating panels all come in high quality materials and finishing. As an option, elegant full-glass fixtures provide the finishing touch to the car interior. High-resolution and easy-to-read indicators make the ride even more enjoyable.











New ceiling design/ Optional



Order on special demand from customer

Proper interior elevator cab lighting is strategic in completing the interior vision and experience. Choose from an array of energy efficient lighting choices. Work in concert with the Elevator Interior Design Team and use our expertise in code compliant design to achieve the intended concept in lightweight, functional and easy to install elevator cab solutions.



Elevator Cab Series SEPL 111-113/ Optional

Order on special demand from customer



Cab System SEPL-111

Walls	Etched glass above the handrail with woven wire below
Ceiling	Island type suspended ceiling. Available in various finishes
Handrail	1 1/2" diameter round handrail. Available in various profiles and finishes
Lighting	LED 50K hour life downlights with dimmer. Alternate lighting available



Cab System SEPL-113

Walls	Wood veneer above the handrail with woven wire below and bronze columns
Ceiling	Island type suspended ceiling. Available in various finishes
Handrail	1 1/2" diameter round handrail. Available in various profiles and finishes
Lighting	LED 50K hour life downlights with dimmer. Alternate lighting available

Colour Laminate Series



With an emphasis on the back wall, these interiors create the effect of depth and space. The Colour Laminate Series interiors fit in fresh modern spaces characterized by details in colours and textures. The Wood Laminate Series follows the same concept but in a more traditional style.



For further information, please visit us at www.seplindia.net



Panoramic & Horizon Series/ Optional



Order on special demand from customer



PANORAMIC SERIES/ OPTIONAL

Order on special demand from customer




SPRING

Back and Side Walls
Mirror Stainless Steel
Beigewood
Panel edges: Black
Mirror Stainless Steel
behind the raised panels
Handrail
1.5" Round Satin Stainless Steel
Ceiling
Mirror Stainless Steel
Recommended Signalization
Solid Snow White or
Stones Sand Yellow




SUMMER

Back and Side Walls
Mirror Stainless Steel
Amber Cherry
Panel edges: Black
Mirror Stainless Steel
behind the raised panels
Handrail
1.5" Round Satin Stainless Steel
Ceiling
Mirror Stainless Steel
Recommended Signalization
Solid Plum Red or
Stones Plum Red



AUTUMN

Back and Side Walls
Mirror Stainless Steel
Figured Mahogany
Panel edges: Black
Mirror Stainless Steel
behind the raised panels
Handrail
1.5" Round Satin Stainless Steel
Ceiling
Mirror Stainless Steel
Recommended Signalization
Solid Ivory Black or
Leaves Plum Red



WINTER

Back and Side Walls
Mirror Stainless Steel
Asian Night
Panel edges: Black
Mirror Stainless Steel
behind the raised panels
Handrail
1.5" Round Satin Stainless Steel
Ceiling
Mirror Stainless Steel
Recommended Signalization
Solid Federal Blue or
Leaves Ebony Black


HORIZON SERIES/ OPTIONAL

Order on special demand from customer




SPRING

Back and Side Walls
Mirror Stainless Steel
Pearl Bisque LS
Panel edges: Black
Mirror Stainless Steel
behind the raised panels
Handrail
1.5" Round Satin Stainless Steel
Ceiling
Satin Stainless Steel
Recommended Signalization
Solid Snow White or
Lights Snow White




SUMMER

Back and Side Walls
Mirror Stainless Steel
Alumasteel
Panel edges: Black
Mirror Stainless Steel
behind the raised panels
Handrail
1.5" Round Satin Stainless Steel
Ceiling
Satin Stainless Steel
Recommended Signalization
Solid Plum Red or
Glasses Agate



AUTUMN





Back and Side Wall
Mirror Stainless Steel
Satin Brushed Medium Bronze
Panel edges: Black
Mirror Stainless Steel
behind the raised panels
Handrail
1.5" Round Satin Stainless Steel
Ceiling
Satin Stainless Steel
Recommended Signalization
Solid Ivory Black or
Lights Ivory Black



WINTER

Back and Side Walls
Mirror Stainless Steel
Pearl Silver LS
Panel edges: Black
Mirror Stainless Steel
behind the raised panels
Handrail
1.5" Round Satin Stainless Steel
Ceiling
Satin Stainless Steel
Recommended Signalization
Solid Federal Blue or
Glasses Sapphire Blue

Hospital Elevators



HOSPITAL ELEVATORS





LOAD		CAR INSIDE		LIFT WELL		ENTRANCE	MACHINE ROOM		CENTER OPENING		TELESCOPIC/SIDE	
PERSONS	KG.	WIDE	DEPTH	WIDE	DEPTH	CENTER	WIDE	DEPTH	LEFT WALL	RIGHT WALL	LEFT WALL	LEFT WALL
Person	KG	Wide	Depth	Wide	Depth	Center	Wide	Depth				
15	1020	1100	2300	1800	3000	800	3700	4500	500	500	600	400
20	1360	1300	2400	2200	3000	1000	4200	5500	600	600	700	500
26	1768	1600	2400	2600	3000	1200	4350	5500	700	700	800	600

MR/MRL		
Speed MPS	Pit Depth	Overhead
Upto 1.00	1500	4700
Upto 2.00	1600	4800
Over2.00	2650	5600

We design and build our elevators as per **Bureau of Indian Standard IS:14665-Part I** as well as **European Standards**.

Stone margin is to be considered by Customer/Architect

Passenger Elevators



PASSENGER ELEVATORS

LOAD		CAR INSIDE		LIFT WELL		ENTRANCE	MACHINE ROOM		CENTER OPENING		TELESCOPIC/SIDE	
PERSONS	KG.	A	B	C	D	E	K	L	LEFT WALL	RIGHT WALL	LEFT WALL	LEFT WALL
		WIDE	DEPTH	WIDE	DEPTH	CENTER	WIDE	DEPTH				
5	340	1000	850	1500	1400	700	1800	2500	350	350	450	250
6	408	1100	1000	1600	1500	700	2500	3000	350	350	450	250
8	544	1300	1100	1900	1800	800	3000	3600	400	400	500	300
10	680	1350	1300	1900	2000	800	3000	3600	400	400	500	700
13	884	2000	1100	2500	1900	900	3000	4000	800	800	900	500
13*	884	1600	1400	2200	2100	900	3000	4000	650	650	800	600
16	1088	2000	1300	2500	2100	1000	3500	4500	750	750	900	600
20	1360	2000	1600	2500	2400	1000	4000	4500	750	750	900	700
26	1768	2300	1800	2700	3000	1000	5000	6200	850	850	1000	





MR		
Speed MPS	Pit Depth	Overhead
Upto 1.00	1500	4500
Upto 2.00	1600	4800
Over 2.00	2600	5600

MRL		
Speed MPS	Pit Depth	Overhead
Upto 1.00	1500	4700
Upto 2.00	1600	4900
Over 2.00	2600	5800

We design and build our elevators as per **Bureau of Indian Standard IS:14665-Part I** as well as **European Standards**.

Stone margin is to be considered by Customer/Architect

Freight Elevators



FREIGHT ELEVATORS


LOAD	CAR INSIDE		LIFT WELL		ENTRANCE	MACHINE ROOM		CENTER OPENING		TELESCOPIC/SIDE	
	KG.	WIDE	DEPTH	WIDE	DEPTH	CENTER	WIDE	DEPTH	LEFT WALL	RIGHT WALL	LEFT WALL
500	1100	1200	1900	1600	900	2500	4100	500	500	600	400
1000	1400	1800	2300	2200	1200	2500	4700	550	550	700	400
1500	1700	2000	2600	2400	1500	2600	4900	550	550	700	400
2000	2000	2500	2600	2900	1500	2600	5400	550	550	700	400
2500	2000	3000	2900	3400	1800	2900	5400	550	550	700	400
3000	2000	3000	3400	3400	2300	3400	5300	550	550	700	400
4000	2500	3000	3400	3400	2300	3400	5300	550	550	700	400
5000	2500	3600	3500	4300	2300	3500	6800	600	600	700	500

MR		
Speed MPS	Pit Depth	Overhead
Upto 1.00	1500	4300
Upto 2.00	1600	4800
Over 2.00	2600	5800


We design and build our elevators as per **Bureau of Indian Standard IS:14665-Part I** as well as **European Standards**.

Stone margin is to be considered by Customer/Architect

Our Accomplished Ventures



OUR PATRON



SEPL INDIA LIMITED

Regd. Office :

R-6, Ansal Chamber - I, 3,
Bhikaji Cama Place, New Delhi-110066
Ph.: 011-26191489

Corp. Office :

Building No. 97, Sector 23, Dwarka,
Near PF Office, New Delhi-110077
M : + 91-9643326223, 9811808756
Ph.: 011-28053010

Manufacturing Plant :

G1-129-130 RIICO Industrial Area,
Chopanki, Bhiwadi, Distt. Alwar, Rajasthan
M : 964330805, 9643326223

Branch office :

(North India) : Delhi, Haryana, Punjab, Rajasthan, Uttar Pradesh, Jammu & Kashmir
Himachal Pradesh, Uttarakhand,

Contact : + 91 11 26166230, 26191489, 26714031,
011-28053010, 28053097, M: 9873870011

(East India) : Patna, Ranchi, Kolkata

(West India) : Goa, Gujarat, Maharashtra
Contact : 9643308501

(South India) : Bangluru, Hyderabad
Contact : 9643326223

E-mail : info@seplworld.net

Website : www.seplindialtd.com

www.seplindia.net, www.seplworld.net

Customer Care No. : +91 8010677677



Sales & Service Network